

**SAFETY DATA SHEET**

**LIME PAINT AND WASH**

Page: 1

**1. PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT NAME:** LIME PAINT AND WASH

**PRODUCT CODE:** LIME PAINT AND WASH

**MANUFACTURER'S NAME:** Faux Effects International Inc.

**ADDRESS :** 2701 Industrial Ave 2  
Ft. Pierce, FL 34946

**EMERGENCY PHONE :** (772) 318-0151

**DATE PREPARED :** 01/23/2024

**INFORMATION PHONE :** (800) 270-8871

**NAME OF PREPARER :** Raymond Sandor

**2. HAZARDOUS IDENTIFICATION**

REPORTABLE COMPONENTS	CHEMICAL NAME	CAS NUMBER	MM HG @ TEMP	WEIGHT PERCENT
HYDRATED LIME	CALCIUM HYDROXIDE	1305-62-0		<15 %

**EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

MAY CAUSE IRRITATION, REDNESS OR WATERING EYE. MAY CAUSE EYE DAMAGE.

**SKIN CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

MAY CAUSE IRRITATION OR REDNESS (DERMATITIS)

**INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

MAY CAUSE IRRITATION OF THROAT AND NASAL PASSAGES.

**INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

MAY CAUSE ABDOMINAL PAIN, NAUSEA, VOMITTING AND DIARRHEA.

**HEALTH HAZARDS (ACUTE AND CHRONIC)**

NONE

**CARCINOGENICITY**

**NTP CARCINOGEN:** NONE **IARC MONOGRAPHS:** NONE **OSHA REGULATED:** NONE

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE**

MAY CAUSE PERMANENT EYE DAMAGE

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>INGREDIENT</u>		<u>CONCENTRATION</u>
HYDRATED LIME	CAS <b>1305-62-0</b>	<15% BY WEIGHT
Propylene Glycol	CAS# 57-55-6	<3% by weight

## **SAFETY DATA SHEET**

**LIME PAINT AND WASH**

Page:2

### **4. FIRST AID MEASURES**

#### **EMERGENCY AND FIRST AID PROCEDURES**

##### **EYE CONTACT**

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES OR UNTIL ALL MATERIAL IS REMOVED. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS.

##### **SKIN CONTACT**

WASH SKIN WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. OBTAIN MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS.

##### **INHALATION**

IF INHALED, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS.

##### **INGESTION**

IF SWALLOWED, DO **NOT** INDUCE VOMITING. CONTACT A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

### **5. FIRE FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

IN CASE OF FIRE, USE WATER (FLOOD WITH WATER), DRY CHEMICAL, CO<sub>2</sub>, OR "ALCOHOL" FOAM

#### **SPECIAL FIREFIGHTING PROCEDURES**

AS IN ANY FIRE, WEAR SELF CONTAINED POSITIVE-PRESSURE BREATHING APPARATUS, (MSHA/NIOSH APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR

### **6. ACCIDENTAL RELEASE MEASURES**

#### **STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

VENTILATE AREA. ABSORB SPILL WITH INERT MATERIAL AND PLACE IN CHEMICAL WASTE CONTAINER. OBEY RELEVANT LOCAL, STATE, PROVINCIAL, AND FEDERAL LAWS AND REGULATIONS.

## SAFETY DATA SHEET

LIME PAINT AND WASH

Page:3

### 7. HANDLING AND STORAGE

#### HANDLING

USE IN A WELL VENTILATED AREA.

#### STORING

STORE IN A COOL DRY AREA

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### HMIS CODES: H F R

1 0 0

#### EYE PROTECTION

SAFETY GLASSES

#### SKIN PROTECTION

GLOVES

#### WORK/HYGIENIC PRACTICES

FOLLOW SAFE INDUSTRIAL HANDLING PROCEDURES

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**VISCOSITY :** 1500 - 3000 CPS

**pH :** 12-14

**FLAMMABILITY:** NOT FLAMMABLE

**BOILING RANGE:** 212 - 446

**SPECIFIC GRAVITY (H<sub>2</sub>O=1):** 1.33

**COATING V.O.C.:** 54 g/l

**MATERIAL V.O.C.:** 22 g/l

### 10. STABILITY AND REACTIVITY

**STABILITY:** STABLE

**CONDITIONS TO AVOID :** AVOID CONTACT WITH ACIDIC MATERIALS

**INCOMPATIBILITY (MATERIALS TO AVOID) :** STRONG OXIDIZING MATERIALS

**HAZARDOUS POLYMERIZATION:** WILL NOT OCCUR

### 11. TOXICOLOGICAL INFORMATION

NO INFORMATION AVAILABLE

**SAFETY DATA SHEET**

**LIME PAINT AND WASH**

Page:4

**12. ECOLOGICAL INFORMATION**

NO INFORMATION AVAILABLE

**13. DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL METHOD**

ABSORB WITH INERT MATERIAL SUCH AS KITTY LITTER AND LET MATERIAL COMPLETELY DRY BEFORE DISPOSING OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

**14. TRANSPORTATION INFORMATION**

**UN NUMBER**

N.A.

**UN PROPER SHIPPING NAME**

WATERBASED PAINT

**IACO/IATA**

THIS PRODUCT IS NOT REGULATED BY IACO/IATA

**15. REGULATORY INFORMATION**

**US EPA**

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS BY OSHA HAZARD STANDARD.

**CALIFORNIA**

PROPOSITION 65: NO KNOWN REGULATED INGREDIENTS

**CANADA**

"D2A" MATERIAL CAUSING OTHER TOXIC EFFECTS. "E" CORROSIVE MATERIAL

**CEPA-NPRI -**

NO KNOWN REGULATED INGREDIENTS

**NEW JERSEY'S WORKER AND COMMUNITY RIGHT TO KNOW ACT:**

CAS # 1305-62-0 HYDRATED LIME

CAS# 57-55-6 Propylene Glycol

**PENNSYLVANIA'S RIGHT TO KNOW ACT:**

CAS # 1305-62-0 HYDRATED LIME

CAS# 57-55-6 Propylene Glycol

## **SAFETY DATA SHEET**

**LIME PAINT AND WASH**

Page:5

### **16. OTHER INFORMATION**

FAUX EFFECTS HAS NO CONTROL OVER ACTUAL USE OF THIS ARTISTIC PRODUCT OR THE METHOD OF APPLICATION OF THIS ARTISTIC PRODUCT. LIABILITY IS LIMITED TO NO MORE THAN THE PURCHASE PRICE PAID OR THE REPLACEMENT OF THE PRODUCT. THE INFORMATION IS ACCURATE TO THE BEST OF FAUX EFFECTS INC. KNOWLEDGE OR OBTAINED FROM SOURCES BELIEVED BY FAUX EFFECTS INC. TO BE ACCURATE AND FAUX EFFECTS INC. DOES NOT ASSUME ANY LEGAL RESPONSIBILITY FOR USE OR RELIANCE ON SAME. CUSTOMERS ARE ENCOURAGED TO CONDUCT THEIR OWN TESTS. BEFORE USING ANY PRODUCT, READ ITS LABEL.